

Cost-Controllable Tunable Optical Module QSFP28



Overview

Digital Coherent Optics module, hot-pluggable QSFP28 form factor Transmission reach: Up to 80km unamplified (loss limited) Up to 120km amplified (dispersion limited, optionally extendable to 300km) Full C-band tunable, 50GHz or 100GHz grid Case temperature range 0°C to 70°C

Digital Coherent Optics module, hot-pluggable QSFP28 form factor Transmission reach: Up to 80km unamplified (loss limited) Up to 120km amplified (dispersion limited, optionally extendable to 300km) Full C-band tunable, 50GHz or 100GHz grid Case temperature range 0°C to 70°C Power dissipation < 3W

Cisco® QSFP28 100G ZR extends 100GbE coherent links from QSFP28 ports reaching up to 80km over dark fiber and up to 300km over amplified Dense Wave Division Multiplexing (DWDM) links. The Cisco QSFP28 100G ZR module expands the portfolio of digital coherent optics (DCO) modules to connect QSFP28. Built around Coherent Steelarton DSP, the 100G ZR QSFP28-DCO transceiver is fully compliant to the IEEE 802.3™-2022 100GBASE-ZR standard, ensuring interoperability with other solutions. The Steelarton DSP is the first purpose-built DSP for 100G ZR applications, optimized for the lowest power. This guide provides the definitive roadmap for selecting, deploying, and troubleshooting QSFP28 transceivers while bypassing the painful trial-and-error phase. Supporting 80km unamplified or 300km amplified over single-mode fiber with built-in FEC, this tunable C-Band module (Ch. 13-61) delivers -8dBm Tx power at 103.125 THz. QSFP28 (Quad Small Form-Factor Pluggable 28) is a compact transceiver form factor designed for high-capacity 100G Ethernet. By providing four lanes of 25G, QSFP28 enables a...

Article Content

QSFP28 optical transceivers | Smartoptics

Coherent QSFP28 – Higher performance with wavelength tunability and extended reach up to hundreds of kilometers for metro, regional and long-haul networks.

QSFP28 100G COHERENT DWDM SFF-8636 HIGH TX POWER

QSFP28, 100GBASE-ZR Coh 50/100GHz Tunable 120km, 30dB, SFF-8636, LC, Tx=0dBm TQ2032-TUNC-SO The TQ2032-TUNC-SO is a pluggable QSFP28 DWDM transceiver designed for high

QSFP28 Transceiver: The Ultimate 100G Optical

Discover ascentoptics about QSFP28 transceiver solutions. Master 100G optical modules with in-depth insights and trusted guidance.

Dell Compatible QSFP28 DCO 100G DWDM C-band Tunable

Dell Compatible 100G Coherent QSFP28 DCO Transceiver Module (Tunable, LC/UPC, C-temp, SFF-8636) The 100G ZR QSFP28-DCO pluggable transceiver supports up to 80km (un-amplified) and up

100G ZR QSFP28 Digital Coherent Optics Transceiver

Built around Coherent Steelerton DSP, the 100G ZR QSFP28-DCO transceiver is

Generic Compatible QSFP28 DCO 100G DWDM C-band Tunable

The 100G ZR QSFP28-DCO pluggable transceiver supports up to 80km (un-amplified) and up to 300km (amplified) WDM networks. It is fully compliant to the IEEE 802.3™ -2022 100GBASE-ZR standard,

100G DWDM QSFP28 80 vs 120: Complete Comparison

Compare 100G DWDM QSFP28 80km vs 120km modules. Learn differences in optical budget, power, DCM requirements, and best applications.

Intel® Ethernet QSFP28 Optic

Intel® Ethernet QSFP28 Optics are an excellent choice for fiber systems in high-speed communications equipment. Both short range and long-range transceiver modules are available for maximum

100G QSFP28 Optical Module Selection Guide: Medium to Long

The QSFP28 module can increase the data transmission rate of 100Gbps, which can effectively meet high bandwidth requirements. And because they are transmitted through optical

The Big Differences Between SFP, SFP+, SFP28,

QSFP+ and QSFP28, while higher on the cost side during their early days, are seeing a price reduction trend with technology becoming more

Arista Networks Compatible QSFP28 DCO 100G DWDM C-band Tunable

Arista Networks Compatible 100G Coherent QSFP28 DCO Transceiver Module (Tunable, LC/UPC, C-temp, SFF-8636) The 100G ZR QSFP28-DCO pluggable transceiver supports up to 80km (un

QSFP28 100G COHERENT DWDM CMIS

The TQ2025-TUNC-SO is a pluggable QSFP28 DWDM transceiver designed for high capacity 100 Gigabit Ethernet (100GbE) Data Center Interconnect (DCI) optical communication applications up to

QSFP28 Transceiver: Complete 100G Connectivity Guide (2026)

QSFP28 transceiver guide covering module types, pricing, compatibility, and deployment. Learn how to choose, deploy, and troubleshoot 100G QSFP28 optics.

100G Optical Module Selection Guide: Advantages and Types of QSFP28

Explore the QSFP28 100G optical module, a vital component for high-speed network connections. Discover its unique features, advantages, and various types to meet diverse

What is QSFP28 optical module and how it works

The full name of QSFP28 optical module is 100G optical module, which is one of the popular and mainstream 100G optical modules on the market. Due to its low power consumption and

Cisco QSFP28 100G ZR Digital Coherent Optics Module

This DCO module is tunable across C-band. The module is compatible with widely deployed ports of QSFP28 100G and 100GBASE ER CAUI-4 client interfaces. Its maximum operating power range is

Juniper Networks Compatible QSFP28 DCO 100G

Juniper Networks Compatible 100G Coherent QSFP28 DCO Transceiver Module (Tunable, LC/UPC, C-temp, SFF-8636) The 100G ZR QSFP28-DCO pluggable

100G ZR QSFP28 Coherent DCO Transceivers

The Steelerton DSP is the first purpose-built DSP for 100G ZR applications, optimized for the lowest power dissipation and smallest size. In the

Generic Compatible QSFP28 DCO 100G DWDM C

Generic Compatible 100G Coherent QSFP28 DCO Transceiver Module (Tunable, 50GHz/100GHz Grid, LC/UPC, C-temp, CMIS) The 100G ZR QSFP28-DCO

100G ZR Coherent QSFP28 DCO | Tunable | EDGEOPTIC

Our EDGEOPTIC 100G-Q28-DCO-ZR is a multi-vendor compatible 100G ZR Digital Coherent Optics (DCO) QSFP28 transceiver module designed for ultra-long-haul 100 Gigabit Ethernet and OTN

QSFP28 optical transceivers | Smartoptics

QSFP28 are part of Smartoptics's hot-swappable small form-factor family of optical transceivers and cables.

Generic Compatible QSFP28 DCO 100G DWDM C

Generic Compatible QSFP28 DCO 100G DWDM C-band Tunable Coherent 80km DOM Duplex LC/UPC SMF Optical Transceiver Module for Transmission

QSFP28 100G Tun. DWDM 0dBm ZR 0-70°C, TOF, SFF-8636

AQC-79223 is a high-performance QSFP28 transceiver module for 100 Gigabit Ethernet DP-DQPSK modulated data links over two single mode fibres. The maximum reach is 120km (optionally 300km)

100G QSFP28 Module Cost: Pricing Guide & Factors

Discover 100G QSFP28 module pricing. Learn key cost factors, considerations, and real examples to make informed purchasing decisions for

Transforming Edge Networks Expansions | Coherent

The DSP is paired with a highly efficient silicon photonics optical front-end, purpose-built driver, and TIA, as well as a power-optimized tunable laser.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.charratcommunication.fr>

Email: sales@charratcommunication.fr

Phone: +33 1 42 68 93 17

Address: 15 Rue de la Paix, 75002 Paris, France

This document is for informational purposes only. Specifications subject to change without notice.

