

Ukrainian Tunable Optical Module QSFP-DD



Overview

The TQD011-TUNC-SO is an QSFP-DD form-factor (type 2a) DWDM transceiver for coherent 100Gbps Ethernet applications. having QSFP-DD support but where the services are. Cisco QSFP-DD and OSFP 800G ZR/ZR+ digital coherent optics modules enable 800G traffic over amplified Dense Wavelength-Division Multiplexing (DWDM) links up to 120 km for 800ZR and over 1000 km for 800G ZR+. com Europe FS EuropeFREE SHIPPING on Orders Over EUR 79 VAT excl. Quad Small Form-factor Pluggable Double Density (QSFP-DD) solution that fits into high-density switch and router client ports for optical interconnect links Powered by Greylock and Delphi DSP ASICs, and silicon photonic integrated circuits (PICs) for an optimized co-packaged design with 3D. ZR+, Standard Tx output power (-10dBm), C-band tunable, Pull tab, 0°C to 70°C, LC receptacle The emerging OIF 400ZR and Open ZR+ MSA coherent transceivers in QSFP-DD and OSFP form factors generally have low transmit output power (-10 dBm), making them incompatible with ROADM networks.

Article Content

Cisco QSFP-DD and OSFP 800G ZR/ZR+ Coherent Optics Modules

Cisco QSFP-DD and OSFP 800G coherent optical modules are supported on Cisco switches and routers. For more details, refer to the Cisco Transceiver Modules Compatibility Matrix.

QSFP-DD vs QSFP28: Unraveling the Key Differences

Discover the key differences between QSFP-DD and QSFP28 optical modules in our comprehensive guide. Learn about their roles in high-speed data

Cisco 400G QSFP-DD Ultra Long Haul Coherent Optics Module

The Cisco 400G QSFP-DD Ultra Long-Haul Coherent Optics Module enables 400G traffic anywhere over dense wavelength division multiplexing amplified networks, and is available in both C-band and

QSFP-DD Product Family » Acacia

Powered by Greylock and Delphi DSP ASICs, and silicon photonic integrated circuits (PICs) for an optimized co-packaged design with 3D Siliconization. Supports an

QSPDD-ZR-400G Datasheet | FS

400G QSFP-DD DCO DWDM TUNABLE COHERENT 120KM DOM TRANSCEIVER

Description The FS QSFP-DD Digital Coherent Optics (DCO) transceiver supports 400G coherent transmission for data

QSFP-DD DCO 400G DWDM Tunable Coherent ITU CH13-CH61

The 400G QSFP-DD ZR+ is a C-Band optical frequency tunable coherent optical module, that combines 7nm coherent DSP ASIC functionality with best-in-class ultra-narrow line-width tunable lasers, high

Generic Compatible QSFP-DD DCO 400G DWDM

Generic Compatible 400G DWDM Tunable QSFP-DD Optical Transceiver Module (SMF, 1528.58~1567.54nm, ≤120km, LC/UPC, DOM) The QSFP-DD DCO

400G/300G/200G QSFP-DD Digital Coherent Optics

The emerging OIF 400ZR and Open ZR+ MSA coherent transceivers in QSFP-DD

QSFP-DD High-Power (Bright) DCO 400G DWDM

The 400G QSFP-DD ZR+ Pro is a C-Band optical frequency tunable coherent optical module, that combines 7nm coherent DSP ASIC functionality with best-in-class

400G ZR Coherent QSFP-DD DCO | Tunable | EDGEOPTIC

EDGEOPTIC 400G ZR Coherent QSFP-DD DCO: 40km unamplified/120km amplified, tunable C-Band 75/100GHz, 10dB, 425 Gbps. LC duplex for metro coherent networks.

QSFP-DD TRANSCEIVERS for 400G and 800G

QSFP-DD is the most widely adopted form factor for 400G, with great potential for 800G. While QSFP-DD prioritizes backward compatibility, OSFP's larger surface

Comprehensive Guide to 400G/800G QSFP-DD Optical

From a technological perspective, both 400G and 800G QSFP-DD modules benefit from significant advancements. Silicon photonics has played a

QSFP-DD Optical Transceivers - MapYourTech

What is QSFP-DD? QSFP-DD is an advanced hot-pluggable optical transceiver form factor that doubles the bandwidth density of traditional QSFP28

QSFP DD Guide: High-Speed QSFP DD Optical Modules

Learn how QSFP DD enables high-speed 400G networking with higher density, compatibility, and performance for modern data centers.

Cisco QSFP-DD and OSFP 800G ZR/ZR+ Coherent

They expand Cisco routed optical networking applications to include 800G links and are compatible with Cisco and third-party 800G-capable routers,

Optical Transceiver: SFP vs SFP+ vs QSFP28 vs QSFP-DD

This article provides a comprehensive comparison of mainstream optical transceivers, including SFP, SFP+, QSFP+, QSFP28, and QSFP-DD. It explains their technical differences,

400Gb/s QSFP-DD ZR+ Coherent Optical Transceiver

The 400G QSFP-DD ZR+ is a C-Band optical frequency tunable coherent optical module, combines 7nm coherent DSP ASIC functionality with best in class ultra-narrow line-width tunable

QSFP-DD Optical Module Wiki

QSFP-DD (Quad Small Form Factor Pluggable-Double Density) is a new modular connector system that utilizes a dual-density, four-channel, small, hot-swappable optical module

QSFP-DD 100G DWDM Coh Tunable SM 450km, CMIS5.0 LC

The TQD011-TUNC-SO is an QSFP-DD form-factor (type 2a) DWDM transceiver for coherent 100Gbps Ethernet applications. The transceiver is intended for use in interconnect applications between data

QSFP-DD DCO 400G DWDM Tunable Coherent

Using C-FEC and 16QAM modulation, the module supports 400G tunable WDM transmission per wavelength, with up to 40km unamplified and 120km amplified

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.charratcommunication.fr>

Email: sales@charratcommunication.fr

Phone: +33 1 42 68 93 17

Address: 15 Rue de la Paix, 75002 Paris, France

This document is for informational purposes only. Specifications subject to change without notice.

